IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

in re application of: Marko LEINONEN et al

Application No.: 10 /559,918

Group No.:

Filed:

December 7, 2005

Examiner:

303

IMPROVING THE PERFORMANCE OF A RECEIVER IN INTERFERING CONDITIONS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

TRANSMITTAL OF SUBSTITUTE SPECIFICATION (37 C.F.R. § 1.125).

NOTE: A substitute specification, excluding the claims, may be filled at any point up to payment of the issue ten if it is accompained by items indicated below. See 37 C.F.R. § 1,125(b).

1. Enclosed is a substitute specification for the originally filed specification in this application.

NOTE: The substitute specification must be submitted in clear form without markings as to amended material. The paragraphs of any substitute specification, other than the claims, should be individually numbered in Arabic numerals so that any amendment to the specification may be made by replacement paragraph. in accordance with § 1.121(b)(1), 27 C.F.R. § 1.125(c).

CERTIFICATION UNDER 37 C.F.R. \$\$ 1.8(a) and 1.10°

(When using Express Mail, the Express Mail label number is mandatory; Express Mail pertitionation is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

23/3/2 25/3/2

		20202.040
(3	deposited with the United States Postal Service Box 1450, Alexandria, VA 22313-1450	ce in an envelope addressed to Commissioner for Patents, P.O.
	37 CFR § 1.8(a)	37 C.F.R. § 1.10 °
0	with sufficient postage as first class mail.	() as "Express Mail Post Office to Addressee"
		Mailing Label No
	1.	RANSMISSION
O	facsimile transmitted to the Patent and Trade	emark Office, (673) 273-8300.
Ool		Signature
		Cype or print name of person certifying

(Transmittel of Substitute Specification (9-27)-page 1 of 2)

^{*} Only the date of filing (§ 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under § 1,8 continues to be taken into account in determining tirreliness. See § 1.703(f). Consider "Express Mail Post Office to Addressne" (§ 1.10) or facsimila transmission (§ 1.6(d)) for the reply to be accorded the earliest possible tiling data for patent term adjustment calculations.

(complete the following applicable item)

W This substitute specification is submitted, in response to a requirement by the Examiner.

OR

- This substitute specification is being voluntarily submitted, in order to facilitate the processing of the application.
- 3. Also enclosed is a marked-up copy of the substitute specification showing the matter being added to and the matter being deleted from the specification.
- 4. Accompanying this transmittal is a statement, as required by 37 C.F.R. § 1.125(b)(1), that the substitute specification transmitted herewith contains no new matter.

Reg. No.: 31,391

Tel. No.: (203) 261-1234

Customer No.: Gazage

004955

SIGNATURE OF PRACTITIONER

Francis J. Maguire

Ware, Fressols, Van Der Sluys & Adolphson

LLP

(type or print name of practitioner)

755 Main Street, P.O. Box 224

P.O. Address

Monroe, CT 06468

(Transmittal of Substitute Specification (9-27)-page 2 of 2)